#### OKANOGAN RIVER BASIN

#### 12447200 OKANOGAN RIVER AT MALOTT, WA

LOCATION.--Lat 48°16′53", long 119°42′12", in SW<sup>1</sup>/<sub>4</sub> sec.9, T.32 N., R.25 E., Okanogan County, Hydrologic Unit 17020006, on right bank 75 ft upstream from highway bridge at Malott, 0.1 mi upstream from Loup Loup Creek, and at mile 17.0.

DRAINAGE AREA.--8,080 mi<sup>2</sup>, approximately.

PERIOD OF RECORD.--April 1958 to current year. April 1958 to September 1965, published as "near Malott." Records published for both sites December 1965 to July 1967.

REVISED RECORDS.--WDR WA-75-1: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 783.55 ft above NGVD of 1929. April 1958 to November 1965, water-stage recorder at site 3.9 mi downstream at NGVD of 1929.

REMARKS.--Records good except for estimated daily discharges, which are fair. Diversions upstream from station for irrigation of about 22,000 acres in the United States and 55,000 acres in Canada. Flow regulated by Okanagan and Skaha Lakes and by natural storage in other lakes. U.S. Geological Survey satellite telemeter at station. Daily water temperature records November 1969 to June 1971. Chemical analyses 1959-62, 1963-70 (partial record station), 1972, 1975-94. Published as "near Brewster" prior to 1964 and as "near Malott" 1963-66 (station 12447300).

AVERAGE DISCHARGE.--47 years (water years 1959-2004), 3,039 ft<sup>3</sup>/s, 2,202,000 acre-ft/yr, includes records for "near Malott" site located 3.9 miles downstream, water years 1959-65. 40 years (water years 1966-2005), 3,042 ft<sup>3</sup>/s, 2,204,000 acre-ft/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 45,600 ft<sup>3</sup>/s, June 3, 1972, gage height, 22.16 ft; minimum observed, 288 ft<sup>3</sup>/s, Sept. 4, 1970, gage height, 2.03 ft.

EXTREMES FOR CURRENT YEAR.--Maximum daily discharge, 6,570 ft<sup>3</sup>/s, Jan. 26; maximum gage height, 9.65 ft, Jan. 26 (backwater from ice); maximum gage height unaffected by backwater, 6.97 ft, May 17; minimum discharge, 502 ft<sup>3</sup>/s, Aug. 18-20, gage height, 2.55 ft.

#### DISCHARGE, CUBIC FEET PER SECOND WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005 DAILY MEAN VALUES

DAILT MEAN VALUES												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1,550	1,150	1,750	2,260	4,010	2,350	2,050	4,790	3,130	4,870	1,690	537
2	1,290	1,180	1,710	2,100	3,860	2,130	2,010	4,530	3,120	4,660	1,620	530
3	1,250	1,280	1,820	e1,750	3,690	1,850	2,000	4,380	2,990	4,470	1,540	536
4	1,230	1,290	1,940	e1,400	3,580	1,840	2,020	4,430	2,840	4,270	1,470	546
5	1,210	1,530	1,950	e1,240	3,560	1,830	2,000	4,670	2,730	4,010	1,380	544
6	1,170	1,530	1,950	e1,340	3,570	1,820	2,160	4,900	2,640	3,610	1,330	534
7	1,160	1,460	1,940	e1,600	3,470	1,820	2,300	5,280	2,650	3,270	1,310	523
8	1,130	1,480	1,950	e1,750	3,290	2,070	2,260	5,510	2,790	3,020	1,280	524
9	1,120	1,670	1,880	e1,930	3,230	2,210	2,290	5,440	2,850	2,890	1,180	525
10	1,050	2,220	1,880	e1,900	3,030	2,140	2,430	5,400	3,230	2,580	917	524
11	1,040	2,290	1,930	e1,850	3,010	2,350	2,450	5,640	3,240	2,500	819	538
12	1,100	2,170	1,990	e1,880	3,020	2,550	2,270	5,800	3,060	2,430	675	559
13	1,160	2,070	3,570	e1,930	3,000	2,470	1,920	5,880	2,980	2,380	618	615
14	1,280	1,960	2,990	e1,750	2,980	2,610	1,870	5,910	2,880	2,320	590	692
15	1,270	1,910	2,730	e1,360	2,940	2,510	1,850	6,040	2,700	2,270	571	733
16	1,260	1,870	2,750	e1,480	2,810	2,410	1,860	6,310	2,610	2,260	540	718
17	1,280	1,880	2,660	e1,600	2,680	2,390	1,870	6,390	2,550	2,240	521	705
18	1,320	1,950	2,550	e1,840	2,540	2,330	1,980	6,340	2,510	2,210	510	727
19	1,400	1,890	2,460	e2,500	2,520	2,360	2,120	5,870	2,630	2,230	505	721
20	1,510	1,810	2,440	e3,300	2,520	2,410	2,240	5,520	3,090	2,250	506	684
21	1,500	1,800	2,690	e4,400	2,520	2,380	2,210	5,110	3,180	2,180	562	666
22	1,460	1,740	2,900	e6,040	2,500	2,340	2,180	4,700	2,800	2,140	662	639
23	1,450	1,700	2,750	e5,460	2,440	2,280	2,400	4,440	2,600	2,110	640	620
24	1,440	1,680	2,650	e4,720	2,400	2,210	3,030	3,750	2,630	2,100	601	623
25	1,410	1,670	2,580	e5,120	2,390	2,210	3,750	3,330	2,640	2,130	575	624
26 27 28 29 30 31	1,360 1,230 1,210 1,180 1,160 1,160	1,650 2,570 2,420 2,170 1,980	2,530 2,500 2,430 2,370 2,260 2,180	e6,570 e5,720 e5,120 e4,790 e4,470 4,220	2,390 2,370 2,370 	2,140 2,170 2,140 2,120 2,130 2,080	4,590 5,120 5,880 5,910 5,220	3,390 3,540 3,430 3,390 3,160 3,070	2,520 2,510 2,720 4,140 5,060	2,080 2,010 1,940 1,870 1,820 1,750	566 570 570 575 570 556	622 614 607 592 606
TOTAL	39,340	53,970	72,680	93,390	82,690	68,650	82,240	150,340	88,020	82,870	26,019	18,228
MEAN	1,269	1,799	2,345	3,013	2,953	2,215	2,741	4,850	2,934	2,673	839	608
MAX	1,550	2,570	3,570	6,570	4,010	2,610	5,910	6,390	5,060	4,870	1,690	733
MIN	1,040	1,150	1,710	1,240	2,370	1,820	1,850	3,070	2,510	1,750	505	523
AC-FT	78,030	107,000	144,200	185,200	164,000	136,200	163,100	298,200	174,600	164,400	51,610	36,160
STATIST	ICS OF MO	ONTHLY M	EAN DATA	FOR WATI	ER YEARS	1966 - 2005,	BY WATE	R YEAR (W	YY)			
MEAN	1,157	1,462	1,311	1,265	1,424	1,685	2,869	8,436	9,822	3,994	1,607	1,143
MAX	1,847	4,747	4,402	3,013	2,979	3,946	7,015	16,420	29,290	10,990	4,150	2,963
(WY)	(1998)	(1991)	(1996)	(2005)	(1991)	(1983)	(1996)	(1972)	(1972)	(1972)	(1993)	(1997)
MIN	605	574	565	540	569	601	928	4,319	2,625	938	390	372
(WY)	(1988)	(1988)	(1971)	(1988)	(2001)	(1988)	(2001)	(1977)	(1992)	(1977)	(2003)	(1988)

## 12447200 OKANOGAN RIVER AT MALOTT, WA—Continued

SUMMARY STATISTICS	FOR 2004 CALI	ENDAR YEAR	FOR 2005 WA	ATER YEAR	WATER YEARS 1966 - 2005		
ANNUAL TOTAL ANNUAL MEAN	921,541 2,518		858,437 2,352		3.042		
HIGHEST ANNUAL MEAN	2,318		2,332		6,312	1972	
LOWEST ANNUAL MEAN HIGHEST DAILY MEAN	9,990	May 24	6,570	Jan 26	1,334 45,300	2001 Jun 3, 1972	
LOWEST DAILY MEAN ANNUAL SEVEN-DAY MINIMUM	480 560	Jan 6 Jan 4	505 530	Aug 19 Sep 5	288 296	Sep 4, 1970 Aug 30, 1970	
ANNUAL RUNOFF (AC-FT) 10 PERCENT EXCEEDS	1,828,000 6,530		1,703,000 4,490		2,204,000 7,820		
50 PERCENT EXCEEDS 90 PERCENT EXCEEDS	1,540 799		2,170 623		1,500 690		

e Estimated

### 12447200 OKANOGAN RIVER AT MALOTT, WA

### WATER-QUALITY RECORDS

PERIOD OF DAILY RECORD .--

WATER TEMPERATURE: Mar. 29 to Sept. 30, 2005.

 $INSTRUMENTATION. \hbox{--Electronic thermistor/logger with $30$-minute log interval.} \\$ 

REMARKS.--Records excellent.

EXTREMES FOR CURRENT YEAR.--

WATER TEMPERATURE: Maximum 26.9°C, Aug. 7, 8; minimum, 7.4°C, Mar. 30, 31, Apr 2.

# TEMPERATURE, WATER, DEGREES CELSIUS WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	OCTOBER			NOVEMBER			D	ECEMBE	ER	JANUARY		
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
24 25												
26												
27												
28												
29												
30												
31												
MONTH												

## OKANOGAN RIVER BASIN

## 12447200 OKANOGAN RIVER AT MALOTT, WA—Continued

# TEMPERATURE, WATER, DEGREES CELSIUS—CONTINUED WATER YEAR OCTOBER 2004 TO SEPTEMBER 2005

DAY	MAN	MINI	MEAN				MAN			MAN	MIN	MEAN
DAY	MAX	MIN	MEAN									
	I	FEBRUARY	Y		MARCH			APRIL			MAY	
1							9.5	7.7	8.5			
2 3							8.9 8.7	7.4 8.4	8.4 8.4			
4							10.2	8.0	9.0			
5							9.4	8.6	8.9			
6							10.9	8.8	9.7			
7							11.1	10.0	10.6			
8 9							11.8 11.8	9.8 10.0	10.8 10.9			
10							11.5	10.3	11.1			
11							12.0	10.8	11.3			
12							11.2	10.3	10.7			
13							11.2	9.2	10.3			
14 15							12.2	9.8 9.8	10.9			
16 17												
18												
19												
20												
21												
22 23												
24												
25												
26												
27												
28 29				8.6								
30				8.8	7.4	8.1						
31				8.3	7.4	7.8						
MONTH												
		JUNE			JULY			AUGUST	,	S	EPTEMBI	₹R
1				21.4		20.6						
1 2	18.4			21.4 21.4	19.8 20.1	20.6 20.9	25.5 24.4	24.1 22.7	24.8 23.5			
3	19.4	17.5	18.3	21.4	19.9	20.7	24.1	21.7	22.8			
4	18.9	17.6	18.2	21.7	20.1	20.9	24.8	21.4	23.0			
5	17.6	16.2	17.0	21.5	20.4	21.1	25.5	22.4	23.9			
6	17.8	15.4	16.5	22.0	20.9	21.4	26.2	23.0	24.5			
7 8	17.2 16.7	16.2 15.9	16.6 16.3	22.0 21.6	20.9 20.1	21.4 20.7	26.9 26.9	23.9 24.1	25.2 25.3			
9	18.1	15.9	16.8	20.7	19.3	20.0	26.5	23.7	25.0	20.1	18.4	19.2
10	18.4	16.7	17.6	20.6	19.6	20.0	26.3	23.2	24.7	18.9	16.8	18.0
11	18.6	16.8	17.8	21.2	19.3	20.1	25.6	22.9	24.3	18.2	17.2	17.7
12	19.4	17.5	18.4	22.2	19.8	20.8	24.7	22.7	23.5	18.3	17.0	17.6
13 14	19.1 18.6	17.8 17.3	18.4 17.8	22.5 23.7	20.7 21.0	21.5 22.3	24.9 25.1	21.5 21.5	23.1 23.3	18.9 19.4	16.2 16.7	17.6 18.1
15	18.8	16.5	17.6	22.9	21.7	22.3	25.1	22.4	23.8	19.1	17.0	18.2
16	18.3	17.0	17.7	22.0	20.7	21.4	25.5	22.4	23.9	18.8	16.8	17.9
17	18.3	17.3	17.9	22.9	20.4	21.5	24.4	22.9	23.5	19.3	17.0	18.1
18	18.4	16.7	17.5	24.1	21.7	22.7		20.9		18.9	16.7	17.9
19 20	19.6 19.9	17.0 17.6	18.2 18.7	24.6 25.1	22.2 22.7	23.3 23.8				19.6 18.8	17.2 16.7	18.2 17.8
21 22	20.7 20.7	18.3 19.9	19.5 20.5	25.6 24.8	23.2 23.0	24.3 24.0				18.1 17.3	15.9 15.3	17.0 16.1
22	20.7	19.9	20.5	24.8 24.9	23.0	23.2				17.3	13.3	15.0
24	21.7	20.6	21.1	23.8	22.2	22.9				15.3	13.2	14.4
25	21.5	19.9	20.8	23.7	21.7	22.6				15.9	13.4	14.6
26	22.4	20.7	21.3	24.2	21.7	22.8				16.1	13.9	15.0
27	21.2	19.6	20.3	25.1	22.2	23.6				16.1	14.2	15.2
28 29	20.7 21.2	19.4 19.3	20.0 20.3	26.0 26.3	23.0 23.9	24.4 25.1				15.6 16.7	13.6 14.9	14.7 15.7
30	21.4	19.8	20.5	26.7	23.9	25.1				16.5	15.7	16.1
31				26.5	24.2	25.3						
MONTH				26.7	19.3	22.3						